



AUTOMATIC TRANSMISSION FLUID - DEXRON[®]-VI

DESCRIPTION.

ACDelco DEXRON[®]-VI is a premium quality automatic transmission fluid for use in both passenger cars and light trucks requiring a fluid that meets General Motors DEXRON[®]-VI specification requirements. *ACDelco* DEXRON[®]-VI is a high viscosity index product that offers superior oxidation stability, excellent cycling durability, good corrosion prevention, foaming resistance, and controlled frictional properties. This fluid also provides good seal compatibility; wear protection, and smoother shifting. The *ACDelco* DEXRON[®]-VI fluid is not recommended for use in Ford or Allison transmissions.

ADVANTAGES.

- Superior oxidation stability, excellent cycling durability, good corrosion prevention, foaming resistance, and controlled frictional properties
- This fluid also provides good seal compatibility; wear protection, and smoother shifting

APPLICATIONS.

- *ACDelco* DEXRON[®]-VI is recommended for application in General Motors vehicle transmissions requiring an DEXRON[®]-VI, DEXRON[®]-III (H), DEXRON[®]-III, DEXRON[®]-IIE, DEXRON[®]-II, and DEXRON[®] automatic transmission fluids.
- The *ACDelco* DEXRON[®]-VI fluid is not recommended for use in Ford and Allison transmissions.

TYPICAL CHARACTERISTICS.

| | | |
|---------------------|--------|---------------|
| Appearance | | Red |
| Gravity, API | D 4052 | 35.6 |
| Flash, COC, °C (°F) | D 92 | 214 (417) |
| Pour Point, °C (°F) | D 5950 | -51 (-60) |
| Viscosity | D 445 | |
| cST at 40°C (SUS) | | 29.63 (151.5) |
| cSt at 100°C (SUS) | | 6.00 (46.3) |
| cP at -40°C | | 12,790 |
| Viscosity Index | D 2270 | 154 |