



SELECT PLUS SEMI SYNTHETIC 10W-30 SN ILSAC GF-5

PART NUMBER:

1 Litre 89063552
5 Litre 89063553
20 Litre 89063554
205 Litre 89063555

SELECT PLUS SEMI SYNTHETIC OIL FOR PETROL OR LPG ENGINES

DESCRIPTION:

Synthetically enhanced engine oil for everyday & high performance engines, in passenger vehicles. Suitable for vehicles using LPG, leaded and unleaded fuel. Meets the latest API specs and provides excellent fuel consumption results.

ADVANTAGES:

- A stay-in-grade lubricant, which maintains its wear protection and fuel economy characteristics even in the most severe conditions.
- Superior performance when compared to API SM, SL and SJ lubricants, particularly in the areas of oil consumption, fuel economy, high temperature-deposit control and oxidation.
- Lowers fuel consumption due to its special additives. Because Select Plus 10W30 is never too thin or too thick, regardless of the operating conditions, compared to conventional SAE 15W-40 oils this can reduce fuel consumption by up to 5.5%.
- Low oil consumption due to minimum evaporative loss.
- Resists oxidation and thermal breakdown even in severe service.
- Protection against sludge and deposits.

SPECIFICATIONS: (Meets or exceeds)

- SAE 10W-30
- API SN/CF
- ILSAC GF-5

BENEFITS:

Rationalisation of grades – in many cases can be used if the following SAE grades are specified: SAE 5W-40, SAE 10W-40, SAE 15W-40, SAE20W-40. No loss of performance as a result of unwanted deposits in cylinders, on pistons, valves, spark plugs and in turbochargers. Compatible with all gaskets and seals. Miscible with all mineral oil and synthetic oil, therefore no flushing is required.

TYPICAL CHARACTERISTICS:

SAE Grade	N/A	10W-30	N/A
Kinematic Viscosity @ 40 °C	ASTM D445	70	cSt
Kinematic Viscosity @ 100 °C	ASTM D445	10.9	cSt
Viscosity Index	ASTM D2270	140	N/A
Pour Point	FLTP 124	-39	°C
Density @ 15 °C	DIN 51757	0.87	Kg/L

We reserve the right to alter the general characteristics of our products in order to let our customers benefit of the latest technical evolutions.

July 2016